

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20010027561".pn. and restor\$3	US-PGPUB; USPAT	OR	OFF	2004/11/12 15:00
L2	1	"6804825".pn.	US-PGPUB; USPAT	OR	OFF	2004/11/12 12:08
L3	1	"5721829".pn. and remote	US-PGPUB; USPAT	OR	OFF	2004/11/12 14:11
L4	0	"5721829".pn. and overscan\$3	US-PGPUB; USPAT	OR	OFF	2004/11/12 14:14
L5	416	(screen display\$3) near10 overscan\$3	US-PGPUB; USPAT	OR	OFF	2004/11/12 14:14
L6	32	5 and "725"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/11/12 14:14
L7	1	"20010027561".pn. and record\$3	US-PGPUB; USPAT	OR	OFF	2004/11/12 15:23
L8	6	725/89.ccls. and ((record\$3 saves save saving stor\$3) near10 (movie program\$4) near10 (pause pausing interrupt\$3) near10 (disk memory storage))	US-PGPUB; USPAT	OR	OFF	2004/11/12 15:26
L9	7	725/89.ccls. and ((record\$3 saves save saving stor\$3) with (movie program\$4) with (pause pausing interrupt\$3) with (disk memory storage))	US-PGPUB; USPAT	OR	OFF	2004/11/12 15:26
L10	13	725/89.ccls. and ((record\$3 saves save saving stor\$3) with (pause pausing interrupt\$3) with (disk memory storage))	US-PGPUB; USPAT	OR	OFF	2004/11/12 15:26
L11	99	725/87-102.ccls. and ((record\$3 saves save saving stor\$3) with (pause pausing interrupt\$3) with (disk memory storage))	US-PGPUB; USPAT	OR	OFF	2004/11/12 15:27
L13	70	725/87-102.ccls. and ((record\$3 saves save saving stor\$3) near10 (pause pausing interrupt\$3) near10 (disk memory storage STB receiver terminal))	US-PGPUB; USPAT	OR	OFF	2004/11/12 15:46
L14	40	13 and (@ad<="19981130" @rlad<="19981130")	US-PGPUB; USPAT	OR	OFF	2004/11/12 15:46
L15	4	14 and favorite\$1	US-PGPUB; USPAT	OR	OFF	2004/11/12 15:40
L16	2	14 and favorite\$1 and resum\$3	US-PGPUB; USPAT	OR	OFF	2004/11/12 15:41

L17	17	725/87-102.ccls. and ((record\$3 saves save saving stor\$3) near10 (pause pausing interrupt\$3) near10 (disk memory storage "set top" STB receiver terminal)) same resum\$3	US-PGPUB; USPAT	OR	OFF	2004/11/12 15:48
L18	11	17 and (@ad<="19981130" @rlad<="19981130")	US-PGPUB; USPAT	OR	OFF	2004/11/12 15:49
L19	1	18 and (EPG (program near3 guide))	US-PGPUB; USPAT	OR	OFF	2004/11/12 15:48
L20	88	"725"/\$.ccls. and ((record\$3 saves save saving stor\$3) near10 (pause pausing interrupt\$3) near10 (disk memory storage "set top" STB receiver terminal)) and resum\$3	US-PGPUB; USPAT	OR	OFF	2004/11/12 15:48
L21	88	"725"/\$.ccls. and ((record\$3 saves save saving stor\$3) near10 (pause pausing interrupt\$3) near10 (disk memory storage "set top" STB receiver terminal)) and resum\$3	US-PGPUB; USPAT	OR	OFF	2004/11/12 15:48
L22	1	19 and (EPG (program near3 guide))	US-PGPUB; USPAT	OR	OFF	2004/11/12 15:49
L23	30	21 and (EPG (program near3 guide))	US-PGPUB; USPAT	OR	OFF	2004/11/12 15:49
L24	8	23 and (@ad<="19981130" @rlad<="19981130")	US-PGPUB; USPAT	OR	OFF	2004/11/12 15:50
L25	45	21 and (@ad<="19981130" @rlad<="19981130")	US-PGPUB; USPAT	OR	OFF	2004/11/12 17:01
L26	1	"20020100044".pn. and switch\$3	US-PGPUB; USPAT	OR	OFF	2004/11/12 16:50
L27	1	"20020100044".pn. and guide	US-PGPUB; USPAT	OR	OFF	2004/11/12 16:51
L28	1	"20020100044".pn. and schedul\$3	US-PGPUB; USPAT	OR	OFF	2004/11/12 16:52
L29	1	"20020100044".pn. and schedul\$3 same list\$3	US-PGPUB; USPAT	OR	OFF	2004/11/12 17:00
L30	16	(resum\$3 same (channel frequency) same transmi\$7) and 725/86-102.ccls.	US-PGPUB; USPAT	OR	OFF	2004/11/12 17:04
L31	12	30 and (@ad<="19981130" @rlad<="19981130")	US-PGPUB; USPAT	OR	OFF	2004/11/12 17:05
L32	6	(resum\$3 same ((channel frequency) near5 (separate\$1 different other another new second)) same transmi\$7) and 725/86-102.ccls.	US-PGPUB; USPAT	OR	OFF	2004/11/12 17:05

L33	15	(resum\$3 same ((channel frequency) near5 (separate\$1 different other another new second)) same transmi\$7) and "725"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/11/12 17:05
L34	15	(resum\$3 same ((channel frequency) near5 (separate\$1 different other another new second)) same transmi\$7) and "725"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/11/12 17:06
L35	15	34 and (@ad<="19981130" @rlad<="19981130")	US-PGPUB; USPAT	OR	OFF	2004/11/12 17:06
L36	43	(resum\$3 same ((channel frequency) near5 (separate\$1 different other another new second))) and "725"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/11/12 17:06
L37	15	35 and (@ad<="19981130" @rlad<="19981130")	US-PGPUB; USPAT	OR	OFF	2004/11/12 17:07
L38	32	36 and (@ad<="19981130" @rlad<="19981130")	US-PGPUB; USPAT	OR	OFF	2004/11/12 17:07